JETSTREAM CROSSBAR WITH BASELINE MOUNT

SKODA SCALA 5 DOOR HATCH 2019 - (NAKED ROOF)

MEASUREMENTS



Front Crossbar

Inner edge of driver's side leg to inner edge of passenger's side leg

925 mm

210

mm



Rear Crossbar

Inner edge of driver's side leg to inner edge of passenger's side leg

890 mm

M2

Front Crossbar

Corner of painted or glass roof to leading edge of front pad or foot



Crossbar Spread

Rear edge of front crossbar to rear edge of rear crossbar.

750 mm

M2

M2

M1

M3

W4

M4



Pitch 1


Adjustment on the front legs to help keep the crossbars level P2

В

Pitch 2

Adjustment on the rear legs to help keep the crossbars level

ıs **B**



TOE SETTINGS




Front Toe Setting

Adjustment on the front legs to keep legs and crossbars perpendicular to the vehicle



Rear Toe Setting

Adjustment on the rear legs to keep legs and crossbars perpendicular to the vehicle



BC124

BASE CLIP DETAILS



Front Product

Name of BaseClip product required for front bar



Rear Product

Name of BaseClip product required for rear bar

BC137







Front Faa

Number on the pads required for the front bar



Rear Faa

Number on the pads required for the rear bar

5



Front Clip Number

Number on the clips required for the front bar

B33

5



Rear Clip Number

Number on the clips required for the rear bar

B84

UK-150966-278107