JETSTREAM CROSSBAR WITH BASELINE MOUNT

SSANGYONG MUSSO 4 DOOR UTE 2019 - (NAKED ROOF)

MEASUREMENTS



Front Crossbar

Inner edge of driver's side leg to inner edge of passenger's side leg 1045 mm



Rear Crossbar

Inner edge of driver's side leg to inner edge of passenger's side leg

1025 mm



Front Crossbar

Corner of painted or glass roof to leading edge of front pad or foot


200 mm



Crossbar Spread

Rear edge of front crossbar to rear edge of rear crossbar.

815 mm





Pitch 1


Adjustment on the front legs to help keep the crossbars level

P2

В

Pitch 2

Adjustment on the rear legs to help keep the crossbars level R



TOE SETTINGS



Front Toe Setting


Adjustment on the front legs to keep legs and crossbars perpendicular to the vehicle



Rear Toe Setting

Adjustment on the rear legs to keep legs and crossbars perpendicular to the vehicle

2



BASE CLIP DETAILS



Front Product

Name of BaseClip product required for front bar

BC129



Rear Product

Name of BaseClip product required for rear bar

BC129



Front Pad



Rear Pad



Number on the pads required for the front bar



Number on the pads required for the rear bar

5



Front Clip Number

Number on the clips required for the front bar

B58



Rear Clip Number

Number on the clips required for the rear bar

B58

UK-150842-278114